

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1. (currently amended) A control method for a storage system which comprises a plurality of information processing units, a storage device provided with a plurality of logical volumes, and a user interface, said control method comprising [[the steps of]]:

[[controlling to perform]] performing a first process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume;

[[controlling to perform]] performing a second process in which the storage device suspends the first process; and

[[controlling to shift]] shifting from the second process to the first process to perform the first process;

when shifting from the second process to the first process to perform the first process, inquiring an information processing unit which can access the second logical volume, of whether [[it]] said information processing unit mounts the second logical volume or not;

deciding whether said information processing unit mounts the second logical volume or not; and

when the information processing unit mounts the second logical volume, outputting that effect from said user interface.

2. (currently amended) A control method for a storage system which comprises a plurality of information processing units, a storage device provided with a plurality of logical volumes, and a user interface, said control method comprising [[the steps of]]:

[[controlling to perform]] performing a process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume;

when the control is to be newly initiated between the first logical volume and the second logical volume, inquiring an information processing unit which can access the second logical volume, of whether [[it]] said information processing unit mounts the second logical volume or not;

deciding whether the information processing unit mounts the second logical volume or not; and

when the information processing unit mounts the second logical volume, outputting that effect from said user interface.

3. (currently amended) A control method for a storage system which comprises a plurality of information processing units, a storage device provided with a plurality of logical volumes, and a managing computer, and, said control method comprising [[the steps of]]:

[[controlling to perform]] performing a first process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume;

[[controlling to perform]] performing a second process in which the storage device suspends the first process;

[[controlling to shift]] shifting from the second process to the first process to perform the first process;

when shifting from the second process to the first process to perform the first process, inquiring an information processing unit which can access the second logical volume of whether [[it]] said information processing unit mounts the second logical volume or not;

deciding whether the information processing unit mounts the second logical volume or not; and

when the information processing unit mounts the second logical volume, outputting that effect from a user interface of the managing computer.

4. (original) A storage system control method according to claim 1, wherein when said information processing unit does not mount the second logical volume the storage device shifts from the second process to the first process to perform the first process.

5. (currently amended) A control method for a storage system which comprises a plurality of information processing units, a first storage device provided with a first logical volume in a first site, a second storage device provided with a second logical volume in a second site, said method comprising [[the steps of]]:

[[controls to perform]] performing a first process in which when a data write request to the first logical volume is sent from the information processing unit to the first storage device the first storage device stores the data in the first logical volume, the first storage device sends the data to the second storage device, and the second storage device which receives the data stores the data in the second logical volume;

[[controls to perform]] performing a second process in which the second storage device suspends the first process;

[[controls that]] the second storage device [[shifts]] shifting from the second process to the first process to perform the first process;

when shifting from the second process to the first process to perform the first process, inquiring an information processing unit which can access the second logical volume of whether [[it]] said information processing unit mounts the second logical volume or not;

deciding whether the information processing unit mounts the second logical volume or not;

when the information processing unit mounts the second logical volume, outputting that effect from said user interface.

6. (original) A storage system control method according to claim 5, wherein when the information processing unit does not mount the second logical volume said

second storage device shifts from the second process to the first process to perform the first process.

7. (currently amended) A storage system connectable to a plurality of information processing units, a storage device provided with a plurality of logical volumes, and a user interface, said storage system comprising:

means for [[controlling to perform]] performing a first process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume;

means for [[controlling to perform]] performing a second process in which the storage device suspends the first process;

means for [[controlling to shift]] shifting from the second process to the first process to perform the first process;

means for inquiring an information processing unit which can access the second logical volume of whether [[it]] said information processing unit mounts the second logical volume or not when shifting from the second process to the first process to perform the first process;

means for deciding whether the information processing unit mounts the second logical volume or not; and

means for, when the information processing unit mounts the second logical volume, outputting that effect from said user interface.

8. (currently amended) A managing computer connectable to a storage system which comprises a plurality of information processing units[[,]] and a storage device provided with a plurality of logical volumes, [[and a managing computer,]] said managing computer comprising:

~~means for performing a first process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume;~~

~~means for performing a second process in which the storage device suspends the first process;~~

means for shifting from the second process to the first process to perform the first process;

~~means that the managing computer inquires of an information processing unit which can access the second logical volume whether it mounts the second logical volume or not when shifting from the second process to the first process to perform the first process;~~

~~means for deciding whether the information processing unit mounts the second logical volume or not, and~~

~~means for, when the information processing unit mounts the second logical volume, outputting that effect from a user interface of the managing computer,~~

~~wherein said managing computer comprises:~~

~~means for inquiring an information processing unit which can access the second logical volume of whether [[it]] said information processing unit mounts the second logical volume or not when shifting from the second process to the first process to perform the first process, wherein said first process is that the storage device stores a data in the first logical volume and also stores the data in the second logical volume, wherein said second process is that the storage device suspends the first process; and~~

~~means for, when the information processing unit mounts the second logical volume, outputting that effect from said user interface.~~

9. (canceled)

10. (currently amended) A computer-readable storage medium having a program for a managing computer in a storage system comprising a plurality of information processing units[[,]] and a storage device provided with a plurality of logical volumes, [[a managing computer,]] said program comprising [[computer executable elements of]]:

[[means]] code for [[controlling to perform]] performing a first process in which when a data write request to a first logical volume is sent from the information processing unit to the storage device the storage device stores the data in the first logical volume and also stores the data in a second logical volume,

[[means]] code for [[controlling to perform]] performing a second process in which the storage device suspends the first process,

[[means]] code for [[controlling to shift]] shifting from the second process to the first process to perform the first process,

[[means]] code for inquiring an information processing unit which can access the second logical volume of whether [[it]] said information processing unit mounts the second logical volume or not when shifting from the second process to the first process to perform the first process,

[[means]] code for deciding whether the information processing unit mounts the second logical volume or not, and

[[means]] code for, when the information processing unit mounts the second logical volume, outputting that effect from a user interface of said managing computer. [[,]]

~~wherein said program is to implement in the managing computer functions of:  
inquiring an information processing unit which can access the second logical volume of whether it mounts the second logical volume or not when shifting from the second process to the first process to perform the first process; and~~

~~when the information processing unit mounts the second logical volume,  
outputting that effect from said user interface.~~